

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 22 2000

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JAN 20 2000 under 65752

\*\*\*\*\*

The applicant **LUCY A. SNYDER**, hereby make application for permission to change the **PLACE OF USE** of water heretofore appropriated under **PERMIT NO. 24583 - CERTIFICATE NO. 7834**

\*\*\*\*\*

1. The source of water is **UNDERGROUND**
2. The amount of water to be changed **608. AC. FT. - 2.7 C.F.S.**
3. The water to be used for **IRRIGATION AND DOMESTIC USE**
4. The water heretofore permitted for **IRRIGATION AND DOMESTIC USE**
5. The water is to be diverted at the following point **NO CHANGE - SAME AS EXISTING**
6. The existing permitted point of diversion is located within **NE SW SECTION 3 T12N, R25E, MDM, OR AT A POINT FROM WHICH THE W¼ CORNER OF SAID SECTION 3, BEARS N 65° 47' 50" W, A DISTANCE OF 2883.16 FEET. REFER TO SUPPORTING MAP FILED UNDER PERMIT NO. 24583 - CERTIFICATE NO. 7834.**
7. Proposed place of use **SEE ATTACHMENT REFER TO SUPPORTING MAP FILED UNDER SERIAL NO. 65752**
8. Existing place of use **39.00 ACRES IN THE NW, 38.00 ACRES IN THE SE NW, 39.00 ACRES IN THE NW SW AND 36.00 ACRES IN THE NE SW SECTION 3 T12N, R25E, MDM. TOTAL ACRES 152.00**
9. Use will be from **JANUARY 1 to DECEMBER 31** of each year.
10. Use was permitted from **JANUARY 1 to DECEMBER 31** of each year.
11. Description of proposed works **EXISTING**
12. Estimated cost of works **EXISTING**
13. Estimated time required to construct works **EXISTING**
14. Estimated time required to complete the application of water to beneficial use **5 YEARS**
15. Remarks:

s/Dennis Brazzanovich  
By **DENNIS BRAZZANOVICH**  
5405 Mae Anne Avenue  
Reno, NV 89523

Compared my/cmf ds/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 24583, Certificate 7834, is issued subject to the terms and conditions imposed in said Permit 24583, Certificate 7834, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 66831 expires Temporary Permit 67049-T.

The total combined duty of water under Permits 65754, 65755, 66831, and 66832 and any waters of the Walker River Decree and any storage water appurtenant to the place of use shall not exceed 3,444.4 acre-feet per year for the irrigation of 861.1 acres within the proposed place of use. The permittee is responsible for insuring delivery of the entitled decreed and storage waters that are supplemental to these permits. In any year that the Walker River Irrigation District declares a full allocation of decreed waters to the priority years of C-125 claims supplemental to these permits, underground water shall not be pumped from the wells described in these permits. In any year that the Walker River Irrigation District has no decreed or storage water, or declares a reduced allocation of surface waters to the priority years of C-125 claims supplemental to these permits, then the place of use of the permits can be irrigated with underground water, but not to exceed a duty of 4 acre-feet per acre per year from the total of decreed, storage, and underground waters.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.7 cubic feet per second, but not to exceed 608.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 10, 2002

Proof of completion of work shall be filed before:

September 10, 2002

Water must be placed to beneficial use on or before:

August 10, 2006

Proof of the application of water to beneficial use shall be filed on or before:

September 10, 2006

Map in support of proof of beneficial use shall be filed on or before:

September 10, 2006

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 10th day of, August A.D. 2001

  
State Engineer

Completion of work filed SEP 09 2002

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

## ATTACHMENT

## ITEM NO. 7 - PROPOSED PLACE OF USE

| SECTION | SUBDIVISION | TOWNSHIP | RANGE | ACREAGE | CULTURE |
|---------|-------------|----------|-------|---------|---------|
| 2       | SW SW       | T12N     | R25E  | 1.57    |         |
| 3       | NE NW       | T12N     | R25E  | 35.40   |         |
| 3       | SE NW       | T12N     | R25E  | 36.45   |         |
| 3       | NW SE       | T12N     | R25E  | 35.42   |         |
| 3       | NE SE       | T12N     | R25E  | 30.88   |         |
| 3       | SE SE       | T12N     | R25E  | 37.16   |         |
| 3       | SW SE       | T12N     | R25E  | 35.96   |         |
| 3       | NW SW       | T12N     | R25E  | 38.07   |         |
| 3       | NE SW       | T12N     | R25E  | 32.75   |         |
| 3       | SW SW       | T12N     | R25E  | 18.68   |         |
| 4       | NW SE       | T12N     | R25E  | 6.53    |         |
| 4       | NE SE       | T12N     | R25E  | 34.14   |         |
| 4       | SE SE       | T12N     | R25E  | 36.94   |         |
| 4       | SW SE       | T12N     | R25E  | 11.16   |         |
| 9       | NW NE       | T12N     | R25E  | 4.35    |         |
| 9       | NE NE       | T12N     | R25E  | 36.32   |         |
| 9       | SE NE       | T12N     | R25E  | 36.52   |         |
| 9       | SW NE       | T12N     | R25E  | 10.35   |         |
| 9       | NW SE       | T12N     | R25E  | 4.36    |         |
| 9       | NE SE       | T12N     | R25E  | 35.27   |         |
| 9       | SE SE       | T12N     | R25E  | 4.30    |         |
| 10      | NW NW       | T12N     | R25E  | 27.43   |         |
| 10      | SW NW       | T12N     | R25E  | 14.20   |         |
| 10      | NW NE       | T12N     | R25E  | 39.5    |         |
| 10      | NE NE       | T12N     | R25E  | 35.7    |         |
| 10      | SE NE       | T12N     | R25E  | 31.0    |         |
| 10      | SW NE       | T12N     | R25E  | 21.9    |         |
| 10      | NW SW       | T12N     | R25E  | 33.60   |         |
| 10      | NE SW       | T12N     | R25E  | 32.9    |         |
| 10      | SE SW       | T12N     | R25E  | 34.6    |         |
| 10      | SW SW       | T12N     | R25E  | 10.70   |         |
| 15      | SW NW       | T12N     | R25E  | 37.58   |         |
| 15      | SE NW       | T12N     | R25E  | 36.00   |         |
| 15      | NW SE       | T12N     | R25E  | 32.50   |         |
| 15      | NW SW       | T12N     | R25E  | 36.80   |         |
| 15      | NE SW       | T12N     | R25E  | 37.56   |         |